

THE RALLS COUNTY COMMISSION MEETING

Ralls County Presiding Commissioner, John Lake called the adjourned meeting to order at 9:00 am with the following members present, John Wieczorek, Western District Commissioner, Junior Muehring, Eastern District Commissioner and Brandy Flynn, Ralls County Clerk.

Junior Muehring opened the meeting with prayer.

The Pledge of Allegiance to the Flag was made.

The Ralls County Commission signed Accounts Payables & Capital Improvement Invoices.

Joel Booth, Vice President Business Development F&M Bank and Trust Co. stopped by the Commission meeting to update the signature cards on Ralls County's accounts.

The Ralls County Commission, Clerk, and Treasurer signed the updated signature cards for Royal Banks on Ralls County's accounts.

The Ralls County Commission signed a Court Order to transfer \$62,000.00 from General Revenue to the Assessment Fund in equal installments each month.

Shane McClelland, Ralls County Planning & Zoning Administrator stopped by the Commission meeting.

10:00 am - John Lake moved to go into Closed Session per RSMo 610.021.1, at the Ralls County Courthouse, 311 S. Main St., New London, MO, 63459, in the Commissioner's Office. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek – Yes

At 10:11 am – Junior Muehring moved to reconvene to Open Session. John Lake seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek – Yes

The Commissioners and Glen Wiley, Road & Bridge Supervisor reached out to Mr. & Mrs. Burditt regarding several calls regarding vehicles blocking the roadway and safety concerns on Oakhill Road. The Commission asked if Mr. Burditt could move the logs and not block the roadway. Mr. Burditt said he would speak to Mr. Ruby because they have an agreement for Mr. Ruby to use that portion of their property. The Ralls County Commission then called Mr. David Ruby @ 10:26 am – discussed the complaints they had received about the roadway being blocked, safety concerns, the County Road easement and need for snow removal. Mr. Ruby voiced his concerns regarding his insurance company investigation, the Fire Department saying the fire was arson, insurance company wanting to know who was in the area around the time of the fire. Glen was out there for the logs. Mr. Ruby said he is covering himself and his family. He feels that Glen did this out of retaliation. That he has a walnut company on the side and is nervous that he is being investigated. I have pictures of text messages. I can show you. The phone call was disconnected. Then Mr. Ruby called Commissioner Muehring's phone at 10:34 am. Mr. Muehring advised, "We have had complaints about the road being blocked and the safety concerns raised by their constituents. We need you to move back from the road 30ft and make sure not to impede the road." Mr. Ruby said Glen was out there for the logs. If he didn't do it, I will give him a sincere apology. Insurance company is the one who sent Glen a letter." Junior Muehring said, "Our concern is the road." Mr. Ruby advised he would move back from road 30ft and work with the County. He asked about loading and reloading.

The Ralls County Commission signed the Supplemental Agreement NO. 4 to Engineering Services Contract BRO-087 (001) Monkey Run.

The Ralls County Commission signed a Court Order ordering the Ralls County Collector to open a checking account with interest at Royal Banks of Missouri for protested taxes. Designating Tara Comer is the signer and is allowed to execute banking documents.

The Ralls County Commission and Ralls County Sheriff revisited Fuel Bids submitted for the Sheriff's office. Sheriff Allen explained that the wrong bid went out for bid. The bid was supposed to be with rack pricing. He will reach out to the submitting bid and let them know the county will re-run the correct fuel bid in the paper. Bids will be due Monday, February 23, 2026, at 10:15 am.

January Term

February 2nd, 2026

Josh Ketsenburg, Ralls County Assessor presented the Commissioners with the 2026-2027 Assessment Maintenance Plan Agreement with State Tax Commission. The Ralls County Commission and Josh Ketsenburg Ralls County Assessor signed the agreement.

Junior Muehring moved to dismiss at 12:00 pm, John Lake seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes

Junior Muehring – Yes

John Wieczorek- Yes

The Commission will meet again on February 5th, 2026, unless convened by court.



John Lake
Presiding Commissioner

THE RALLS COUNTY COMMISSION MEETING

Ralls County Presiding Commissioner, John Lake called the adjourned meeting to order at 9:00 am with the following members present, John Wieczorek, Western District Commissioner, Junior Muehring, Eastern District Commissioner and Brandy Flynn, Ralls County Clerk.

Junior Muehring opened the meeting with prayer.

The Pledge of Allegiance to the Flag was made.

The Ralls County Commission signed Accounts Payables, Capital Improvement & Payroll.

Rose Ghattas, candidate for District 5 Missouri House of Representative stopped by the Commission meeting.

John Lake moved to approve and sign the Memorandum of Understanding (MOU) with Birch Creek Solar. John Wieczorek seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek – Yes

The Ralls County Commissioners reached out to Chris Comer with Pioneer Land regarding property off Centenary Road. Mr. Comer was listing a piece of property off Centenary and heard 2 different things about a possible county road along the property line. He said he heard it was a county road and also heard the road had been closed at some point too. He was looking for clarification.

The Ralls County Commission signed the Ralls County Health Code presented by the Ralls County Health Department.

11:00 am - John Lake moved to go into Closed Session per RSMo 610.021.1, at the Ralls County Courthouse, 311 S. Main St., New London, MO, 63459, in the Commissioner's Office. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek – Yes

January Term

February 5th, 2026

At 11:25 am – Junior Muehring moved to reconvene to Open Session. John Lake seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.


John Lake – Yes Junior Muehring – Yes John Wieczorek – Yes

Bill Sherman Ralls County citizen stopped by the commission meeting to discuss Planning & Zoning.

Junior Muehring moved to dismiss at 12:00 pm. John Lake seconded the move. Junior Muehring asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

The Commission will meet again on February 9th, 2026, unless convened by court.



John Lake
Presiding Commissioner

January Term

February 9th, 2026

THE RALLS COUNTY COMMISSION MEETING

Ralls County Presiding Commissioner, John Lake called the adjourned meeting to order at 9:00 am with the following members present, John Wieczorek, Western District Commissioner, Junior Muehring, Eastern District Commissioner and Brandy Flynn, Ralls County Clerk.

Junior Muehring opened the meeting with prayer.

The Pledge of Allegiance to the Flag was made.

The Ralls County Commission signed Accounts Payables.

Dennis Gill stopped by the Commission meeting to have the Commission and Clerk sign Timber Ridge Estates First Revision at Mark Twain Lake Subdivision Plans. – 4 more build sites – plenty of sewer & water, DNR & Public Service Commission

10:00 am – Ralls County Planning & Zoning Public Hearing – Requirement of valid building permit for utility for utility meter installation & service connections with the following in the attendance.

Ralls County Commissioners

Ralls County Clerk

Glen Wiley, Ralls County Road & Bridge Supervisor

Zach Epperson, Ralls County Road & Bridge Employee

Kristal Hiner, Ralls County Road & Bridge Secretary & P & Z Secretary

Shane McClelland, Ralls County Planning & Zoning Administrator

Connie Ketsenburg, RCEC Board member

Josh Ketsenburg, Ralls County Assessor

John Wallace, Cannon Water

Tyler Stuhlman, PWSD #1 of Ralls County

Marty Judloww, PWSD #1 of Ralls County

Nate Giessmann, Ameren

Luke Drullinger, PWSD #1 of Ralls County

Aaron Ball, PWSD #1 of Ralls County

John Lake opened the floor for public comments. Mr. Ball voiced concerns that PWSD #1 of Ralls County has with proposal. Not interested in enforcing or turning customers away. They would be okay with information sharing. The Ralls County Clerk presented the Commissioners a letter from Lynn Hodges, Manager & CEO, on behalf of the Board of Directors of Ralls County

Electric Cooperative formally objecting to the proposed ordinance that would restrict Ralls County Electric Company from installing electric utility services to new members or existing members within Ralls County. Mr. Hodges asked for it to be read at the meeting and on record. John Lake read letter out loud. The Clerk also presented to the Commissioners a letter from Cannon Water District NO. 1. Mr. Wallace asked for the letter to be recorded as record. Cannon Water Supply District No. 1 of Ralls, Monroe, and Marion Counties, Missouri must respectfully decline to deny or condition water service solely on the basis that a county building permit. The district remains willing to cooperate within Ralls County within the bounds of applicable law and to provide confirmations of service status when lawfully requested. However, the District cannot assume enforcement responsibilities not granted to it by statute. Ameren would like to see a meter-based sticker like in Warren County. Says you have permit & slap on the base showing the steps. All parties agreed to sharing information. Kristal will send emails. Commissioner Muehring and Lake agreed they need to relook at proposed ordinance. John Lake moved to table the ordinance. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.


John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

Shane McClelland, Planning & Zoning Administrator, discussed the increase on calls for towers.

John Lake moved to dismiss at 12:00 pm. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

The Commission will meet again on February 19th, 2026, unless convened by court.



John Lake
Presiding Commissioner

CANNON WATER DISTRICT NO. 1



P.O. BOX 430
PERRY MO 63462
573-565-2656

February 6, 2026

To: Ralls County Commission
Cc: Ralls County Planning and Zoning Board; County Counselor

Dear Commissioners and Members of the Planning and Zoning Board,

This correspondence is submitted on behalf of Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri (referred to as The District), a rural water district organized and operating as a political subdivision of the State of Missouri pursuant to Missouri law and governed by its duly elected Board of Directors.

The District is in receipt of communications indicating that Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri may be requested or expected to deny or withhold water service to applicants or customers until a Ralls County building permit has been issued. After review, the District must respectfully respond as follows.

1. Statutory Authority and Duty of a Rural Water District:

As a rural water district, The District derives its authority and obligations from Missouri statutes governing rural water districts. Those statutes vest the District's Board of Directors with exclusive authority over District operations and impose a duty to provide water service to qualified applicants within the District's service area in accordance with law and District policy.

The District is not subject to county control or supervision with respect to the provision or denial of water service.

2. No Legal Authority to Condition Water Service on County Building Permits:

The District is unaware of any Missouri statute that authorizes a county to compel a rural water district to deny or condition water service based on the status of a county building permit. County zoning and building regulations are enforceable against property owners through county enforcement mechanisms and do not extend to directing the operations of an independent rural water district.

Absent clear statutory authority, a lawful court order, or a policy duly adopted by the District's Board of Directors consistent with Missouri law, the District lacks authority to deny service on the basis requested.

3. Improper Delegation of County Enforcement Authority:

Requiring a rural water district to withhold essential utility service as a means of enforcing county building or zoning regulations would improperly shift enforcement responsibility from the County to the District. Such a role is outside the District's statutory purpose and governance authority.

4. Liability and Governance Concerns

Compliance with a request to deny service without clear legal authority could expose the District and its Board of Directors to claims of unlawful denial of service, unequal treatment of similarly situated applicants, or actions taken beyond the District's lawful powers.

For these reasons, Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri must respectfully decline to deny or condition water service solely on the basis that a county building permit has not been issued, unless and until:

1. The District is provided with specific statutory authority requiring such action;
2. The District receives a lawful court order directing denial of service in a particular case; or
3. The District's Board of Directors lawfully adopts a policy, consistent with Missouri law, authorizing such action.

The District remains willing to cooperate with Ralls County within the bounds of applicable law and to provide confirmations of service status when lawfully requested. However, the District cannot assume enforcement responsibilities not granted to it by statute.

Please place this correspondence into the official record. All rights and remedies of Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri are expressly reserved.

Respectfully,



Board of Directors

John Wallace, President

Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties

P.O. Box 430

1223 E Main Street

Perry, MO 63462

573-565-2656

RESOLUTION

A RESOLUTION OF THE BOARD OF DIRECTORS OF CANNON WATER SUPPLY DISTRICT No. 1 OF RALLS, MONROE AND MARION COUNTIES, MISSOURI REGARDING COUNTY REQUESTS TO WITHHOLD WATER SERVICE PENDING ISSUANCE OF BUILDING PERMITS

WHEREAS, Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri (District) is a rural water district organized as a political subdivision of the State of Missouri and governed by its duly elected Board of Directors in accordance with Missouri law; and

WHEREAS, the District is charged by statute with the management, operation, and control of the District's water system and the provision of water service to qualified applicants and customers within its service area in accordance with law and District policy; and

WHEREAS, the District has received communications or requests indicating that the District may be expected or required to deny or withhold water service to applicants or customers until a building permit has been issued by Ralls County; and

WHEREAS, the Board of Directors has reviewed the District's statutory authority, governance obligations, and potential liability exposure related to such requests; and

WHEREAS, the Board finds that county building and zoning regulations are enforceable against property owners through county enforcement mechanisms and that the District is not authorized to act as an enforcement agent for county permitting requirements; and

WHEREAS, the Board further finds that the District is not aware of any Missouri statute that authorizes a county to compel a rural water district to deny or condition water service based solely upon the status of a county building permit; and

WHEREAS, the Board finds that denying or withholding water service without clear statutory authority or a lawful court order could expose the District and its Board members to claims of improper denial of service, unequal treatment, or actions taken beyond the District's lawful authority;

NOW, THEREFORE, BE IT RESOLVED by the Board of Directors of Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri as follows:

1. No Denial of Service Based on County Permits

The District shall not deny, withhold, or condition water service to any applicant or customer solely on the basis that a county building permit has not been issued.

2. Limits on District Authority

The District shall provide water service in accordance with Missouri law and District policy and shall not assume county enforcement responsibilities absent clear statutory authority or a lawful order of a court of competent jurisdiction.

3. Conditions for Future Action

The District may reconsider this position only if:

- a. The District is provided with specific Missouri statutory authority requiring such action;
- b. The District receives a lawful court order directing denial of service in a particular case; or
- c. The Board of Directors lawfully adopts a policy consistent with Missouri law authorizing such action.

4. Communication with County Officials

District staff and counsel are authorized to communicate this Resolution to Ralls County officials and to place this Resolution into the public record as necessary.

5. Reservation of Rights

Nothing in this Resolution shall be construed as a waiver of any rights, defenses, or remedies available to Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties under Missouri law.


BE IT FURTHER RESOLVED that this Resolution shall take effect immediately upon adoption.

ADOPTED by the Board of Directors of Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri this 4 day of February, **2026**,

BOARD OF DIRECTORS

Cannon Water Supply District No.1 of Ralls, Monroe and Marion Counties, Missouri

By: 
President

Attest: 
Secretary

Telephone
(573) 985-8711
Toll Free
(877) 985-8711



MO-26-RALLS

Ralls County Electric Cooperative

17594 Highway 19, P.O. Box 157
New London, Missouri 63459

January 23, 2026

To: Ralls County Planning and Zoning Commission
and Ralls County Commissioners

Dear County Commissioners and Members of the Planning and Zoning Commission,

While Ralls County Electric Cooperative (RCEC) agrees there is a need for improvement in issuing building permits and construction requirements within Ralls County, the RCEC Board of Directors feels the proposed Permit Ordinance places an undue burden on Utilities and RCEC. Therefore, I write the following letter of objection on behalf of the RCEC Board of Directors:

I am writing to formally object to the proposed ordinance that would restrict Ralls County Electric Cooperative from installing electric utility services to new members or existing members within Ralls County, Missouri.

This objection is submitted for the record and is intended to preserve all legal and equitable rights of RCEC and affected property owners and residents.

The proposed ordinance raises serious concerns regarding statutory authority, due process, land use, protection of private property rights, and the requirement of RCEC to be the enforcing agent in the Ralls County building and zoning mechanism. As currently drafted, the ordinance appears to expand or alter utility service permissions without sufficient clarity as to its legal basis, scope, limitations, comprehensive plans, and applicable Missouri law.

Additionally, the proposal fails to adequately address the potential impacts on RCEC, neighboring landowners, including but not limited to easements, rights-of-way, land use, and long-term RCEC infrastructure burdens. The absence of clear standards governing and oversight of new utility infrastructure creates uncertainties and exposes affected members and residents to potential harm without adequate procedural safeguards.

Equally concerning is the lack of demonstrated necessity or public interest justification that would warrant the adoption of such an ordinance. Any ordinance affecting utility expansion should be supported by detailed findings, public input, and a transparent analysis of alternatives. Without such safeguards, the proposed ordinance risks constituting arbitrary governmental action.

For these reasons, I respectfully request that the Planning and Zoning Commission and the Ralls County Commissioners decline to approve or adopt the proposed ordinance in its current form. At a minimum, the matter should be deferred pending further legal review, public hearings, and a comprehensive assessment of its implications for utilities, property owners and the county as a whole.

As I understand Missouri law, Ralls County may enforce its building and zoning regulation against property owners through lawful county enforcement mechanisms, but it lacks the authority to compel utility providers to deny service absent of explicit statutory authority.

Please ensure that this objection is entered into the official record of proceedings related to this ordinance. I reserve the right to supplement this objection with additional comments, evidence, or legal arguments as appropriate.

Thank you for your consideration of this matter.

Respectfully submitted,



Lynn N. Hodges
Manager & CEO
On behalf of the Board of Directors of
Ralls County Electric Cooperative
17594 Hwy 19
New London MO, 63459

PLANNING AND ZONING

PZ Hearing - Ordinance

10 AM

February 9th, 2026

Ralls County Courthouse

DO YOU WISH TO SPEAK?
YES OR NO

POSITION (APPLICANT, MEMBER OR RESIDENT)

PHONE

NAME (PRINT)

NAME (PRINT)	PHONE	POSITION (APPLICANT, MEMBER OR RESIDENT)	DO YOU WISH TO SPEAK? YES OR NO
John W. Lake	248-5791	Planning Commission	
John Wierzbicki	719-6557	West Dist Commissioner	
Junior Muehring	573-822-2263	E. Commissioner	
Ken Wiley	573-466-7611	At-Large	
John M. ...	573-724-1832	R + B	
Kristal Hines	985-2011	RB/PZ	
Sharon M. ...	822-4608	Patz	
Brandy Fyem	248-4215	Ralls County Clerk	
Connie Keenan	248-4113	RCEC Board	
Josh Ketenburg		Assessor	
John Wallace	573-470-4234	Cannon Water	
Tyler Stowman	573-629-9285	PWS#1 Ralls Co	
Marcy Judwine	573-248-5715	" " "	
Nate Giesmann	636-357-1023	Ameren	

PLANNING AND ZONING

PZ Hearing - Ordinance

10 AM

February 9th, 2026

Ralls County Courthouse

NAME (PRINT)

Luke Drullinger
Aaron Ball

PHONE

636-299-8925
573-248-6653

POSITION (APPLICANT, MEMBER OR RESIDENT)

PWSD #1 of Ralls County
PWSD #1 of Ralls County

DO YOU WISH TO SPEAK?
YES OR NO

January Term

February 19th, 2026

THE RALLS COUNTY COMMISSION MEETING

Ralls County Presiding Commissioner, John Lake called the adjourned meeting to order at 9:00 am with the following members present, John Wieczorek, Western District Commissioner, Junior Muehring, Eastern District Commissioner and Brandy Flynn, Ralls County Clerk.

Junior Muehring opened the meeting with prayer.

The Pledge of Allegiance to the Flag was made.

The Ralls County Commission signed Accounts Payables, Capital Improvement Invoices, & Payroll.

Sheriff Allen stopped by the Commission meeting.

The Ralls Count Commission discussed Road & Bridge maintenance. The Ralls County Commission and County Clerk signed Leave Donation for Road & Bridge Employee.

The Ralls County Clerk presented the January 2026 Sales & Use Tax Distribution Deposit Notice.

The Ralls County Commission signed Harold Butzer Proposal 116431 – Demo Condensate Lines in return room – add hangers/support to walls for piping – install new PVC condensate piping and tie into existing condensate line – pipe and install new condensate traps for each WSHP.

The Ralls County Clerk read minutes from December 15th, 2025, meeting. John Lake moved to approve minutes as read. John Wieczorek second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

The Ralls County Clerk read minutes from December 18th, 2025, meeting. John Wieczorek moved to approve minutes as read. Junior Muehring second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

The Ralls County Clerk presented the closed minutes from the December 18th, 2025, meeting. John Lake moved to approve the minutes as read. John Wiczorek seconded the move. John Lake asked for any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wiczorek – Yes

The Ralls County Clerk read minutes from December 22nd, 2025, meeting. John Wiczorek moved to approve minutes as read. John Lake second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wiczorek- Yes

The Ralls County Clerk read minutes from December 29th, 2025, meeting. John Lake moved to approve minutes as read. Junior Muehring second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wiczorek- Yes

The Ralls County Commission met with Hecate Energy via zoom. On the zoom call was Amy Krebs, Vice President, Environmental & Permitting, Cole Corbett Development, Craig Technical Hecate Energy. Discussed 75% American made ordinance and the Commission reiterated they are standing firm on the 75% American made. Commission is working on the audit process.

11:30 am – Junior Muehring moved to go into Closed Session per RSMo 610.021.1, at the Ralls County Courthouse, 311 S. Main St., New London, MO, 63459, in the Commissioner's Office. John Lake seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wiczorek – Yes

At 11:35 am – John Lake moved to reconvene to Open Session. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wiczorek – Yes

January Term

February 19th, 2026


John Lake moved to dismiss at 12:00 pm. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes

Junior Muehring – Yes

John Wiczorek- Yes

The Commission will meet again on February 23rd, 2026, unless convened by court.



John Lake
Presiding Commissioner

THE RALLS COUNTY COMMISSION MEETING

Ralls County Presiding Commissioner, John Lake called the adjourned meeting to order at 9:00 am with the following members present, John Wieczorek, Western District Commissioner, Junior Muehring, Eastern District Commissioner and Kristen Dietle, Ralls County Deputy Clerk.

Junior Muehring opened the meeting with prayer.

The Pledge of Allegiance to the Flag was made.

The Ralls County Commission signed Accounts Payables.

Jeff Banderet and Mike Teal from Great River Engineering were at the meeting giving updates and asking commission about upcoming county projects.

At 10:00am the Ralls County Commission opened dust control bids for Road and Bridge. Scotwood Industries was the only bid. John Lake moved to accept the bid from Scotwood Industries. Junior Muehring second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

At 10:15am the Ralls County Commission opened fuel bids for the Ralls County Sheriff's department. Warrenton Oil Co and MFA Oil submitted bids. Junior Muehring moved to accept the MFA bid. John Wieczorek second the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

Joh Lake moved to dismiss at 11:30am. Junior Muehring seconded the move. John Lake asked if there was any further discussion. No further discussion. Move passed unanimously.

John Lake – Yes Junior Muehring – Yes John Wieczorek- Yes

January Term

February 23, 2026

IN NOTE: The Ralls County Commission will be attending the Annual CCAM Conference Tuesday, February 24th – 27th, 2026, at Margaritaville Lake Resort, Lake of the Ozarks, 494 Tan Tar A Drive, Osage Beach, MO 65065.

The Commission will meet again on March 2nd, 2026, unless convened by court.



John Lake
Presiding Commissioner

2/23/26

The following is MFA Oil Company's unleaded fuel bid for the Ralls County Sheriffs department.

This bid includes the use of a 550 gallon DW fuel tank, and metered fuel pump. Deliveries will be made from the MFA Oil Center Missouri office. Deliveries will be made from the hours of (8am-4:30pm)

Our records indicate full tax exemption, the pricing below will show full tax exemption as well as the price if those records are incorrect.

Pricing below is from the 2/19/26 Palmyra Opis rack of \$1.618 per gallon

NO TAX	FEDERAL ONLY	FULL TAX (STATE&FEDERAL)
PRICE \$1.618	PRICE \$1.618	PRICE \$1.618
MARGIN \$ 0.12	MARGIN \$0.12	MARGIN \$0.12
TTOTAL \$1.738	TOTAL \$1.806286	TOTAL \$2.1068186

Thank you,

Shawn Stoermer

MFA Oil Company

(576)476-3823

Shawn.stoermer@mfaoil.com

Bid Notice

The Ralls County Commission will be taking sealed bids for bulk fuel.

Specs can be requested via email or viewed on the Ralls County website (www.rallscountymo.gov) and the Ralls County Sheriff's Department Facebook page.

For more information call 573-985-5611 or email sheriffdepartment@rallscountymo.gov. Sealed bids are due by 9:45 am on February 23rd, 2026; bids will be opened @ 10:15 am.

Please submit your sealed bids to:

Ralls County Commission
311 S Main Street
(County Clerk's Office)
New London, MO 63459

The Ralls County Commission reserves the right to reject any and all bids.

SPECS

The Ralls County Sheriff Department is requesting bid proposals for 22,000 gallons of bulk gallons unleaded gasoline grade 87 as follows:

1. The bidder must have a facility within 40 miles of Ralls County Sheriff's Office, 209 East 4th Street, New London, MO 63459
2. Product and tank to be delivered: **Grade 87 Unleaded Gasoline**; to this location:
 - a. 209 East 4th Street, New London, MO 63459
3. Contract date from March 1st, 2026 – February 28th, 2027.
4. Please submit the bid in 2 formats:
 - a. Set contract fuel price with any and all fees and taxes in this price in the following format:
 - i. Fuel Price: \$2,2143
 - ii. Add any taxes/fees: TE
 - iii. **TOTAL:** \$2,2143
 - b. Lowest rate rack price for the day, based off February 19th, 2026, rate to include any all fees and taxes. Please submit in the following format:
 - i. Rack Price for the Day: \$11618
 - ii. Amount above Rack Price: 12
 - iii. Add any fees/taxes: TE
 - iv. **TOTAL:** \$1,1738

Bid price per gallon with any and all taxes in this price that apply to the Ralls County Sheriff should be included in your final bid price. No additional charges will be paid after the bid is accepted.

Sealed bid proposal must be received by 9:45 am on February 23rd, 2026, to the Ralls County Commissioners, 311 S Main Street, New London, MO 63459. Bids will be opened at 10:15 a.m. on Monday, February 23rd, 2026.

Load must be delivered during office hours (8 am – 4:30 pm) so that a Ralls County Sheriff's Department Employee is present to confirm the load.

Lowest or best bid proposal will be accepted, but Ralls County has the right to reject any and all bids.

1/28/26

The following is MFA Oil Company's unleaded fuel bid for the Ralls County Sheriffs Department.

The bid includes a 550-gallon DW fuel tank, and metered fuel pump. Deliveries will be made from the MFA Oil Center Missouri bulk plant. Deliveries will be made between the hours of (8am-4:30pm)

Our records indicate full tax exception, pricing below will show that price as well as pricing if those records are incorrect.

Contract pricing for 22,000 gallons of 87 octane. Date of contract 2/1/26-1/31/27.

No tax	Federal only tax	full tax (state&fed)
\$2.2143	\$2.402586	\$2.702486

Thank you,

Shawn Stoermer

MFA Oil company

(573)476-3823

Shawn.stoermer@mfaoil.com

Bid Notice

The Ralls County Commission will be taking sealed bids for bulk fuel.

Specs can be requested via email or viewed on the Ralls County website (www.rallscountymo.gov) and the Ralls County Sheriff's Department Facebook page.

For more information call 573-985-5611 or email sheriffdepartment@rallscountymo.gov. Sealed bids are due by 9:45 am on February 23rd, 2026; bids will be opened @ 10:15 am.

Please submit your sealed bids to:

Ralls County Commission
311 S Main Street
(County Clerk's Office)
New London, MO 63459

The Ralls County Commission reserves the right to reject any and all bids.

SPECS

The Ralls County Sheriff Department is requesting bid proposals for 22,000 gallons of bulk gallons unleaded gasoline grade 87 as follows:

1. The bidder must have a facility within 40 miles of Ralls County Sheriff's Office, 209 East 4th Street, New London, MO 63459
2. Product and tank to be delivered: **Grade 87 Unleaded Gasoline**; to this location:
 - a. 209 East 4th Street, New London, MO 63459
3. Contract date from March 1st, 2026 – February 28th, 2027.
4. Please submit the bid in 2 formats:

- a. Set contract fuel price with any and all fees and taxes in this price in the following format:

i. Fuel Price:	<u>2.42</u>
ii. Add any taxes/fees	<u>.304757</u>
iii. TOTAL:	<u>2.724757</u>

- b. Lowest rate rack price for the day, based off February 19th, 2026, rate to include any all fees and taxes. Please submit in the following format:

i. Rack Price for the Day:	<u>1.693</u>
ii. Amount above Rack Price:	<u>0.14</u>
iii. Add any fees/taxes:	<u>0.304757</u>
iv. TOTAL:	<u>2.137757</u> - Today's Price would be

Bid price per gallon with any and all taxes in this price that apply to the Ralls County Sheriff should be included in your final bid price. No additional charges will be paid after the bid is accepted.

Sealed bid proposal must be received by 9:45 am on February 23rd, 2026, to the Ralls County Commissioners, 311 S Main Street, New London, MO 63459. Bids will be opened at 10:15 a.m. on Monday, February 23rd, 2026.

Load must be delivered during office hours (8 am – 4:30 pm) so that a Ralls County Sheriff's Department Employee is present to confirm the load.

Lowest or best bid proposal will be accepted, but Ralls County has the right to reject any and all bids.

Bid Notice and Specs

The Ralls County Commission will be accepting sealed bids on dust control for approximately 14.5 miles of county gravel roads. For information and a copy of the spec sheet call 573-985-2011, email roadbridgesec@rallscountymo.gov, view on the county's website @ www.rallscountymo.gov or on our Facebook page, Ralls County Missouri Road & Bridge.

Sealed bids are due by February 20th, 2026, at 3:00 pm, emailed bids will not be accepted. Bids will be opened at 10 am on February 23rd, 2026, in the Ralls County Commission office located in the courthouse. Please submit your sealed bids to:

Ralls County Road and Bridge
1000 Ginny Belle Lane
New London, MO 63459

The Ralls County Commission reserves the right to reject any and all bids.

SPECS:

Dust control using a 20-foot spray average at application rates listed below:

Magnesium Chloride percentage 30%

<u>Application Rate</u>	<u>Price per Running Foot</u>
.307	\$ 0.90
.320	\$ 0.94
.350	\$ 1.03 *

- The product must be applied and completed within five (5) days (not necessarily consecutive).
- Please provide a product data sheet with your bid
- Minimum required footage cannot be over 300 feet
- Road names need to be listed on the invoices
- Provide stakes for the residents
- Please relay the information below in the residential letter:
 - To contact vendor not the Ralls County Road and Bridge Department with any issues
 - County may begin grading roads that received dust control starting October 1st so we can get roads prepared for winter

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012
Issue date: 1/14/2025 Revision date: 1/14/2025 Version: 1.0



SECTION 1: Identification

1.1. Identification

Product name : Magnesium Chloride

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Deicing, Dust Control

1.3. Supplier

Scotwood Industries, LLC
12080 Metcalf Ave Suite 240
Overland Park, KS 66213
United States
T 913 851-3500
kthlmmesch@scotwoodindustries.com

1.4. Emergency telephone number

Emergency number : 913 851-3500 (available 8-5 CT)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%
Magnesium chloride	CAS-No.: 7786-30-3	28 - 30

Comments : US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (f) of §1910.1200.

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation.
Symptoms/effects after eye contact	: Direct contact with eyes may cause temporary irritation.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.

5.2. Specific hazards arising from the chemical

Fire hazard	: During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: May include and are not limited to: oxides of carbon.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Move containers from fire area if it can be done without personal risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. In the event of a significant spillage : Notify authorities if product enters sewers or public waters.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water.
- Other information : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not taste or swallow. Ensure good ventilation of the work station. Wear personal protective equipment. Handle and open container with care.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Magnesium Chloride
No additional information available
Magnesium chloride (7788-30-3)
No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Wear protective gloves. Confirm with a reputable supplier first.
Eye protection:
Wear eye protection

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Skin and body protection:

Wear suitable protective clothing. As required by employer code.

Respiratory protection:

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Color	: Amber
Odor	: No data available
Odor threshold	: No data available
pH	: 5 – 8
Melting point	: -25 °C (-13F)
Freezing point	: -33 °C (-28F)
Boiling point	: ≈ 118 °C (~245 F)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 0.6 kPa (psia @ 100F)
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat and direct sunlight. Do not mix with other chemicals.

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May include and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Magnesium Chloride

Unknown acute toxicity (GHS US) : Not applicable

Magnesium chloride (7788-30-3)

LD50 oral rat : 2800 mg/kg (Source: NLM_CIP)
LD50 dermal rat : > 2000 mg/kg (Source: ECHA_API)
ATE US (oral) : 2800 mg/kg body weight

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Magnesium chloride (7788-30-3)

NOAEL (oral, rat, 90 days) : > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified
Likely routes of exposure : Skin and eye contact. Ingestion. Inhalation.
Symptoms/effects after Inhalation : Prolonged inhalation may be harmful.
Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation.
Symptoms/effects after eye contact : Direct contact with eyes may cause temporary irritation.
Symptoms/effects after ingestion : May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : See below for route-specific details.

Magnesium chloride (7788-30-3)

LC50 - Fish [1] : 1970 – 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1] : 140 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2] : 2119.3 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1] : > 82.7 mg/l (Species: Pseudokirchneriella subcapitata)

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of the material collected according to regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14: Transport information

In accordance with DOT

	DOT
14.1. UN number	Not regulated
14.2. Proper Shipping Name	Not regulated
14.3. Transport hazard class(es)	Not regulated
14.4. Packing group	Not regulated
14.5. Environmental hazards	Not regulated
No supplementary information available	

14.6. Special precautions for user

DOT
Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Magnesium Chloride

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) Inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Zinc (7440-66-8)

CERCLA RQ

454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date

: 1/14/2025

Other information

: For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document.

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.